


Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification
	Designation	Configuration ⁽¹⁾			
CEIA	JANUS	Detection hardware 1.001 System software JUI.1005 Detection software DS.1006 CONOPS FT060K0171v1010	2.1	A	03/07/2021
CEIA	JANUS	Detection hardware 1.001 System software JUI.1005 Detection software C1DA.1008 CONOPS FT060K0170v1020	2.1	A	30/11/2021
CEIA	JANUS	Detection hardware 1.001 System software JUI.1005 Detection software C2DA.1008 C2DA.1009 C2DA.1010 CONOPS FT060K0170v1030	2.1	A	01/09/2022

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Leidos (previously: L3 Technologies, Inc.)	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	20/02/2014
		System software	SS2.1			
		Detection software	E4.10.19 E4.15.19			
		CONOPS	8500-22184-00			
Leidos (previously: L3 Technologies, Inc.)	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	31/05/2018 02/10/2018 ^(CC)
		System software	SS5.1.43 SS8.1.50			
		Detection software	E4.55.50			
		CONOPS	8500-22184-00			
Leidos (previously: L3 Technologies, Inc.)	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	08/07/2019 30/08/2019 ^(CE)
		System software	SS5.1.43 SS8.1.50			
		Detection software	E4.90.50			
		CONOPS	8500-22184-00 Rev. A0			
Leidos (previously: L3 Technologies, Inc.)	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2	A	08/07/2019 30/08/2019 ^(CE)
		System software	SS5.1.43 SS8.1.50			
		Detection software	E4.95.50			
		CONOPS	8500-22184-00 Rev. A0			

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Leidos (previously: L3 Technologies, Inc.)	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2.1	A	14/01/2020 19/11/2020 ^(CE)
		System software	SS5.1.43 SS8.1.50			
		Detection software	E4.108.50			
		CONOPS	8500-22184-00 Rev. A0			
Leidos (previously: L3 Technologies, Inc.)	ProVision 2 (PV-2)	Detection hardware	1600-20982-00	2.1	A	14/01/2020 19/11/2020 ^(CE)
		System software	SS5.1.43 SS8.1.50			
		Detection software	E4.110.50			
		CONOPS	8500-22184-00 Rev. A0			
Leidos (previously: L3 Technologies, Inc.)	ProVision 3 (PV-3)	Detection hardware	AX1000-10004-PV	2.1	A	30/11/2021
		System software	SS10.1.0			
		Detection software	E10.10.50			
		CONOPS	8500-34794-00 Rev A0			
Leidos (previously: L3 Technologies, Inc.)	ProVision 3 (PV-3)	Detection hardware	AX1000-10004-PV	2.1	A	25/02/2022
		System software	SS10.1.0			
		Detection software	E10.20.50 E10.30.50			
		CONOPS	8500-34794-00 Rev A0			

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification
	Designation	Configuration ⁽¹⁾			
Nuctech	MW1000AA	<i>Detection hardware</i> 1.0 <i>System software</i> 2.1.0.177 <i>Detection software</i> 2.1.0.5 <i>CONOPS</i> 1.6	2	A	29/11/2016
Nuctech	MW1000AA	<i>Detection hardware</i> 1.0 <i>System software</i> 2.1.3 4.1.2 <i>Detection software</i> 3.7.1 <i>CONOPS</i> 1.10 (Nov 2018 & Aug 2021) 1.11 (Jan 2018 & Aug 2021)	2.1	A	08/07/2019 19/11/2020 ^(CE) 28/05/2021 ^(CC) 18/11/2021 ^(CC)
Nuctech	MW2000AA	<i>Detection hardware</i> 1.0 <i>System software</i> 1.0.5 <i>Detection software</i> 2.0.2 <i>CONOPS</i> 1.0	2.1	A	25/05/2023

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Rohde & Schwarz	R&S®QPS100	Detection hardware	1.20	2	A	30/01/2015 18/09/2015 ^(CC)
		System software	1.43			
			1.43.2			
		Detection software	1.43			
CONOPS	1.40					
Rohde & Schwarz	R&S®QPS100	Detection hardware	1.20	2.1	A	07/03/2017 30/05/2017 ^(CC) 15/03/2018 ^(CC) 31/05/2022 ^(CC) 19/11/2020 ^(CE)
		System software	1.62 / 1.62 W			
			3.0.1 / 3.0.1W			
			3.0.2 / 3.0.2W			
			3.1.1 / 3.1.1W			
Detection software	1.62					
CONOPS	1.40					




Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Rohde & Schwarz	R&S®QPS200	Detection hardware	2.10	2	A	30/01/2015 18/09/2015 ^(CC)
		System software	2.12 2.12.2			
		Detection software	2.12			
		CONOPS	2.10			
Rohde & Schwarz	R&S®QPS200	Detection hardware	2.10	2.1	A	07/03/2017 30/05/2017 ^(CC) 15/03/2018 ^(CC) 31/05/2022 ^(CC) 19/11/2020 ^(CE)
		System software	2.61 / 2.61W 3.0.1 / 3.0.1W 3.0.2 / 3.0.2W 3.1.1 / 3.1.1W			
		Detection software	2.61			
		CONOPS	2.10			
		Detection hardware	2.10			
Rohde & Schwarz	R&S®QPS200	System software	2.62 / 2.62W 3.0.1 / 3.0.1W 3.0.2 / 3.0.2W 3.1.1 / 3.1.1W	2.1	A	06/09/2016 30/05/2017 ^(CC) 15/03/2018 ^(CC) 31/05/2022 ^(CC) 19/11/2020 ^(CE)
		Detection software	2.62			
		CONOPS	2.10			
		Detection hardware	2.10			
		System software	2.62 / 2.62W 3.0.1 / 3.0.1W 3.0.2 / 3.0.2W 3.1.1 / 3.1.1W			

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.10	2.1	A	19/09/2017 19/11/2020 ^(CE)
		System software	3.11			
		Detection software	3.11			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2.1	A	19/09/2017 19/11/2020 ^(CE)
		System software	3.31			
		Detection software	3.31			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2.1	A	19/09/2017 15/03/2018 ^(CC) 31/05/2022 ^(CC) 19/11/2020 ^(CE)
		System software	3.32			
			3.0.2 / 3.0.2W			
			3.1.1 / 3.1.1W			
		Detection software	3.32			
CONOPS	3.00					
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2.1	A	31/05/2018 19/11/2020 ^(CE) 31/05/2022 ^(CC)
		System software	3.36			
			3.1.1 / 3.1.1W			
		Detection software	3.36			
CONOPS	3.00					

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2.1	A	31/05/2018 19/11/2020 ^(CE) 31/05/2022 ^(CC)
		System software	3.36			
		Detection software	3.36 3.1.1 / 3.1.1W			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2.1	A	01/03/2019 19/11/2020 ^(CE) 31/05/2022 ^(CC)
			3.40			
		System software	3.42 3.44 3.1.1 / 3.1.1W			
			3.40			
		Detection software	3.42 3.44			
		CONOPS	3.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.30	2.1	A	03/07/2021 31/05/2022 ^(CC)
			3.62			
		System software	3.64 3.1.1 / 3.1.1W			
		Detection software	3.62 3.64			
		CONOPS	1178.5450.02-03.00			

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification
	Designation	Configuration ⁽¹⁾			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	2.1	A	25/05/2023
		System software 3.64			
		Detection software 3.74			
		CONOPS 1178.5450.02-03.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.30	2.1	A	18/08/2023
		System software 3.64			
		Detection software 3.76			
		CONOPS 1178.5450.02-03.00			



Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.50	2.1	A	14/01/2020 19/11/2020 ^(CE) 31/05/2022 ^(CC)
		System software	3.60W 3.1.1 / 3.1.1W			
		Detection software	3.60			
		CONOPS	1178.5450.02-03.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.50	2.1	A	19/05/2021 31/05/2022 ^(CC)
		System software	3.62 3.64 3.1.1 / 3.1.1W			
		Detection software	3.62 3.64			
		CONOPS	1178.5450.02-03.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.50	2.1	A	03/07/2021 31/05/2022 ^(CC)
		System software	3.64 3.1.1 / 3.1.1W			
		Detection software	3.65			
		CONOPS	1178.5450.02-03.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware	3.50	2.1	A	24/01/2022
		System software	3.64			
		Detection software	3.42			
		CONOPS	1178.5450.02-03.00			

Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification
	Designation	Configuration ⁽¹⁾			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.50	2.1	A	25/05/2023
		System software 3.64			
		Detection software 3.74			
		CONOPS 1178.5450.02-03.00			
Rohde & Schwarz	R&S®QPS201	Detection hardware 3.50	2.1	A	18/08/2023
		System software 3.64			
		Detection software 3.76			
		CONOPS 1178.5450.02-03.00			



Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification
	Designation	Configuration ⁽¹⁾			
SHENMUTEK	ES7	Detection hardware 1.0	2.1	A	25/05/2023
		System software 1.0.5			
		Detection software 2.0.2			
		CONOPS 1.0			



Manufacturer	Equipment		Standard	Type ⁽²⁾	Notification	
	Designation	Configuration ⁽¹⁾				
Smiths Detection	eqo	Configuration document	Z7115020 Version 2.0	2	A	10/05/2013
		System software	BI-01-08-F-000-00			
		Detection software	001-085			
		CONOPS	V1.7			
Smiths Detection	eqo	Configuration document	Z7115023 Version 1.0	2	A	10/05/2013
		System software	BI-01-08-F-000-00			
		Detection software	001-084			
		CONOPS	V1.7			
Smiths Detection	eqo	Configuration document	Z7115022 Version 1.0	2.1	A	10/05/2013 19/11/2020 ^(CE)
		System software	BI-01-08-F-000-00			
		Detection software	001-082			
		CONOPS	V1.7			
Smiths Detection	eqo	System hardware	11129800 91470001	2.1	A	30/01/2015 17/01/2019 ^(CC) 14/02/2020 ^(CC) 19/11/2020 ^(CE)
		System software	BI-01-09-H-000-00 BI-01-09-H-245-00 BI-01-09-L-000-03 BI-01-09-G-000-05			
		Detection software	001-112			
		CONOPS	V1.7			

Notes:

(1) Information on configuration was provided by the equipment manufacturer as part of the testing process.

(2) **Type of Operations:** On the basis of the Concept of Operations (CONOPS) of the tested security scanner, provided by the manufacturer, the security scanner performance was tested for a given type of operations:

- **Type A:** Security scanner with automatic threat detection and indication of the location of detected objects on a stick figure.
- **Type B:** Security scanner with a human reviewer to analyse the image and to indicate the location of detected objects.

(CC) A configuration change has been endorsed by the CEP Management Group as not-affecting detection.

(CE) The entry has been modified by the Secretariat generally to amend typos and errors in the designation of configuration details, previous endorsement by the CEP-MG.

Any changes compared to the previous version (i.e. 25 May 2023) are displayed in blue colour, including new grouping of configurations corresponding to the same test reference and date of communication.